

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050050282"	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/22 16:45
S2	40	(direct adj3 access) with (indirect adj3 access) with (processor or coprocessor or co-processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:23
S3	3	(711/147.ccls. or 711/170.ccls) and (direct adj3 access) and (indirect adj3 access) and (processor or coprocessor or co-processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:25
S4	72	((direct\$2 adj3 access) and (indirect\$2 adj3 access)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 16:45
S5	11	((direct\$2 adj3 access) and (indirect\$2 adj3 access) and (processor or coprocessor or co-processor or cpu or dsp)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:25
S6	6	((direct\$2 adj3 access) and (indirect\$2 adj3 access) and (configur\$5)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 16:56
S7	1	(direct\$2 adj3 access) same (indirect\$2 adj3 access) same (configur\$5) same (share or shared or sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 16:57
S8	12	(direct\$2 adj3 access) same (indirect\$2 adj3 access) same (share or shared or sharing) near8 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:26

S9	1	((direct\$2 adj3 access) with (indirect\$2 adj3 access)) same ((share or shared or sharing) near8 (memory or storage or access)) same (configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 11:36
S12	86	(direct\$2 adj3 access\$3) with (indirect\$2 adj3 access\$3) with (processor or coprocessor or co-processor or cpu or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 18:03
S13	46	S12 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:33
S14	7	(711/147.ccls. or 711/170.ccls) and (direct\$2 adj3 access\$3) and (indirect\$2 adj3 access\$3) and (processor or coprocessor or co-processor or cpu or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:25
S15	4	S14 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:30
S16	13	((direct\$2 adj3 access\$3) and (indirect\$2 adj3 access\$3) and (processor or coprocessor or co-processor or cpu or dsp)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:25
S17	2	S16 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:30
S18	13	(direct\$2 adj3 access\$3) same (indirect\$2 adj3 access\$3) same (share or shared or sharing) near8 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:26

S19	1	S18 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/28 17:28
S21	4605	(first near8 (area or partition or section)) same (second near8 (area or partition or section)) and (direct access or dma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 12:22
S22	107	(first near8 (area or partition or section)) same (second near8 (area or partition or section)) and ((direct\$2 adj3 access\$3) or dma) and (indirect\$2 adj3 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:22
S23	5	(first near8 (area or partition or section)) same (second near8 (area or partition or section)) and ((direct\$2 adj3 access\$3) or dma) and (indirect\$2 adj3 access\$3) same (configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:25
S24	164	(area or partition or section) and ((direct\$2 adj3 access\$3) or dma) and (indirect\$2 adj3 access\$3) same (configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:26
S25	4	(area or partition or section) same ((direct\$2 adj3 access\$3) or dma) same (indirect\$2 adj3 access\$3) same (configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:32
S26	74522	(configur\$5 near5 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:32
S27	5228	(configur\$5 near5 memory) with (area or partition or section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:32

S28	2	((configur\$5 near\$5 memory) with (area or partition or section)) same (direct\$2 and (indirect\$2 or in-direct\$2) near\$4 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:33
S29	2	((configur\$5 near\$5 memory) with (area or partition or section)) same (direct\$2 and (indirect\$2 or in-direct\$2)) near\$4 access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:34
S30	85	((configur\$5 near\$5 memory) with (area or partition or section)) same ((direct\$2 near\$4 access\$3) or dma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:59
S31	0	(shared near\$4 memory) same configur\$5 same (area or partition or section) same (direct\$2 near\$3 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 10:59
S32	746	(microprocessor or micro-processor or host) and ((direct\$2 or dedicated) near\$4 (access or transfer or read or write)) same (area or partition or section) same configur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 11:40
S35	5798	711/147.ccls. or 711/150.ccls. or 711/151.ccls. or 711/152.ccls. or 711/153.ccls. or 711/163.ccls. or 711/170.ccls. or 711/173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 11:41
S36	50	S32 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 11:41
S37	10729	(first and second) same (processor or cpu or coprocessor or co-processor or host or microprocessor or micro-processor) same (partition or area or section) same (access\$3 or read or write or transfer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 12:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S38	383	S37 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 12:23
S39	2554	(first and second) with (processor or cpu or coprocessor or co-processor or host or microprocessor or micro-processor) with (partition or area or section) with (access\$3 or read or write or transfer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 12:26
S40	161	S39 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 12:24
S41	0	(coprocessor or co-processor or dma controller or associative processor or supplemental processor) same (direct with (in-direct or indirect)) same (configur\$3 or setup) same bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 10:10
S42	16	(coprocessor or co-processor or dma controller or associative processor or supplemental processor) same (direct) same (configur\$3 or setup) same bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 12:59
S43	2	(coprocessor or co-processor or associative processor or supplemental processor) same (direct with (indirect or in-direct)) same (configur\$3 or setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:00
S44	1	(coprocessor or co-processor) same (direct with (indirect or in-direct)) same (configur\$3 or setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 10:11
S45	105	(coprocessor or co-processor) same (direct) same (configur\$3 or setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 10:17

S46	0	(coprocessor or co-processor) same (direct) same (configur\$3 or setup) same bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:01
S47	1	(first adj2 configuration) same (second adj2 configuration) same (memory or storage) same (direct with in-direct or indirect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:03
S48	22	(first adj2 configuration) same (second adj2 configuration) same (memory or storage) same (direct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:05
S50	2	((processor or host or cpu or microprocessor or micro-processor) with (direct near4 access)) and ((coprocessor or co-processor or associative processor or supplemental processor) with ((indirect or in-direct) near4 access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:08
S51	2	((processor or host or cpu or microprocessor or micro-processor) with ((indirect or in-direct) near4 access)) and ((coprocessor or co-processor or associative processor or supplemental processor) with ((direct) near4 access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:09
S52	509	(processor or host or cpu or microprocessor or micro-processor) same (coprocessor or co-processor or associative processor or supplemental processor) same ((direct) near4 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:09
S53	563	(coprocessor or co-processor or associative processor or supplemental processor) same ((\$3direct) near4 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:10
S54	285	(coprocessor or co-processor or associative processor or supplemental processor) with ((\$3direct) near4 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:10

S55	82	(coprocessor or co-processor or associative processor or supplemental processor) with ((\$3direct) near4 access) and bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:10
S56	12	(coprocessor or co-processor or associative processor or supplemental processor) with ((\$3direct) near4 access) same (configur\$5 or setup) and bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:19
S57	294	(coprocessor or co-processor) with direct\$2 near4 access\$3 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:22
S58	1678	(processor or cpu or microprocessor or micro-processor) with access\$3 with memory with bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:20
S59	17	S58 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:20
S60	26	((coprocessor or co-processor) with direct\$2 near4 access\$3 with memory) same configur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/29 13:22

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	639	(coprocessor or co-processor or dma controller or associative processor or supplemental processor) with bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 10:30
L2	5	(coprocessor or co-processor or associative processor or supplemental processor) same (indirect\$2 or in-direct\$2) same (configur\$3 or setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 10:12
L4	37	(coprocessor or co-processor or associative processor or supplemental processor) with (direct access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 10:18
L5	51	((coprocessor or co-processor or dma controller or associative processor or supplemental processor) with bridge) same (configur\$3 or setup or set-up or set up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/01 10:31